

09/491119

PATENT

copy

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Branko KOVACEVIC
Assignee: ATI International SRL
Title: METHOD FOR SYNCHRONIZING TO A DATA STREAM
Patent No.: 6,885,680 B1 Issued: 04/26/2005
Atty. Docket No.: 1376-9901440

MS: Certificate of Correction Branch
COMMISSIONER FOR PATENTS
PO Box 1450
Alexandria, VA 22313-1450

Certificate
JUN 06 2005
of Correction

**REQUEST FOR CERTIFICATE OF CORRECTION OF PATENT—
PTO MISTAKE (37 C.F.R. § 1.322(a))**

Dear Sir:

Pursuant to 35 U.S.C. § 254 and 37 C.F.R. § 1.322(a), please issue a Certificate of Correction in the above-identified matter. The mistake(s) to be corrected was made by the Office.


1. Attached hereto, in duplicate, is Form PTO-1050, with at least one copy suitable for printing.
2. The exact page(s) and line number(s) where the error(s) is shown correctly in the application file:
312 Amendment filed on January 11, 2005 (p. 3).

3. Please send the Certificate to:

J. Gustav Larson
TOLER, LARSON & ABEL, LLP
5000 PLAZA ON THE LAKE, SUITE 265
AUSTIN, TX 78746

Respectfully submitted,

5/24/05
Date



Ryan S. Davidson, Reg. No. 51,596

On behalf of

J. Gustav Larson, Reg. No. 39,263

Attorney for Applicant(s)

TOLER, LARSON & ABEL, L.L.P.

5000 Plaza on the Lake, Suite 265

Austin, Texas 78746

(512) 327-5515 (phone)

(512) 327-5452 (fax)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

PATENT NO. : 6,885,680 B1

DATED : April 26, 2005

INVENTOR(S) : Kovacevic et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 38

Line 10, change "are" to -- is --.

MAILING ADDRESS OF SENDER:


TOLER, LARSON & ABEL, LLP
5000 Plaza on the Lake, Suite 265
Austin, TX 78746

PATENT NO. 6,885,680 B1

No. of additional copies



This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**



COPY

PTO/SB/21 (02-04)

Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Paperwork Reduction Act of 1995: no persons are required to respond to a collection of information unless it displays a valid OMB control number.

TRANSMITTAL FORM <i>(to be used for all correspondence after initial filing)</i>	Application Number	09/491,119	
	Filing Date	01/24/2000	
	First Named Inventor	Branko KOVACEVIC, et al.	
	Art Unit	2665	
	Examiner Name	HSU, Alpus	
Total Number of Pages in This Submission	10	Attorney Docket Number	1376-9901440

ENCLOSURES (Check all that apply)		
<input type="checkbox"/> Fee Transmittal Form	<input type="checkbox"/> Drawing(s)	<input checked="" type="checkbox"/> After Allowance communication to Technology Center (TC)
<input type="checkbox"/> Fee Attached	<input type="checkbox"/> Licensing-related Papers	<input type="checkbox"/> Appeal Communication to Board of Appeals and Interferences
<input checked="" type="checkbox"/> Amendment/Reply	<input type="checkbox"/> Petition	<input type="checkbox"/> Appeal Communication to TC (Appeal Notice, Brief, Reply Brief)
<input type="checkbox"/> After Final	<input type="checkbox"/> Petition to Convert to a Provisional Application	<input type="checkbox"/> Proprietary Information
<input type="checkbox"/> Affidavits/declaration(s)	<input type="checkbox"/> Power of Attorney, Revocation	<input type="checkbox"/> Status Letter
<input type="checkbox"/> Extension of Time Request	<input type="checkbox"/> Change of Correspondence Address	<input checked="" type="checkbox"/> Other Enclosure(s) (please identify below):
<input type="checkbox"/> Express Abandonment Request	<input type="checkbox"/> Terminal Disclaimer	Return Receipt Postcard
<input type="checkbox"/> Information Disclosure Statement	<input type="checkbox"/> Request for Refund	
<input type="checkbox"/> Certified Copy of Priority Document(s)	<input type="checkbox"/> CD, Number of CD(s) _____	
<input type="checkbox"/> Response to Missing Parts/Incomplete Application	Remarks	
<input type="checkbox"/> Response to Missing Parts under 37 CFR 1.52 or 1.53		


SIGNATURE OF APPLICANT, ATTORNEY, OR AGENT	
Firm or Individual name	Ryan S. Davidson, Reg. No. 51,596
Signature	
Date	11 January 2005

CERTIFICATE OF TRANSMISSION/MAILING			
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450 on the date shown below.			
Typed or printed name	Judy Carey		
Signature		Date	Y/1/05

This collection of information is required by 37 CFR 1.5. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to 2 hours to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.

JUN 09 2005



PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant(s): Branko KOVACEVIC

Title: METHOD FOR SYNCHRONIZING TO A DATA STREAM

App. No.: 09/491,119

Filed: 01/24/2000

Examiner: HSU, Alpus

Group Art Unit: 2665

Atty. Dkt. No.: 1376-9901440

Mail Stop ISSUE FEE
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

AMENDMENT AFTER ALLOWANCE (37 C.F.R. § 1.312)

Dear Sir:

This Amendment is being submitted following the Notice of Allowance mailed on October 15, 2004, and prior to payment of the issue fee.

CERTIFICATE OF TRANSMISSION/MAILING	
I hereby certify that this correspondence is being facsimile transmitted to the USPTO or deposited with the United States Postal Service with sufficient postage as first class mail, in an envelope addressed to the Commissioner for Patents on <u>5/11/05</u> .	
<u>Judy Carey</u> Typed or Printed Name	<u>[Signature]</u> Signature

IN THE CLAIMS

Please amend the claims as indicated:

1. (Previously Presented) A method comprising:
 - receiving a transport stream having unknown transport characteristics representable by characteristic values;
 - identifying the characteristic values using a transport stream acquisition routine that iteratively selects a combination of characteristic values from a plurality of possible combinations of characteristic values to determine a combination of characteristic values for the transport characteristics that enables synchronization to the transport stream.
2. (Previously Presented) The method of claim 1, wherein identifying the characteristic values includes identifying the characteristic values in less than 10 seconds.
3. (Previously Presented) The method of claim 2, wherein identifying the characteristic values includes identifying the characteristic values in less than 2 seconds.
4. (Previously Presented) The method of claim 1, wherein identifying the characteristic values includes initializing the transport stream acquisition routine based upon a manually initiated request.
5. (Canceled)
6. (Canceled)
7. (Previously Presented) The method of claim 1, wherein identifying the characteristic values includes identifying a first combination of characteristic values and determining if synchronization to the transport stream has been acquired using the first combination of characteristic values.
8. (Currently Amended) The method of claim 1, wherein the unknown transport characteristics include[[s]] a bit ordering of a portion of data, and wherein the transport stream includes a plurality of portions of data.

9. (Original) The method of claim 8, wherein a portion of data is 8 bits of data, and the bit ordering is one of the first bit of 8 bits of data being the most significant bit, or the last bit of the 8 bits of data being the most significant bit.
10. (Currently Amended) The method of claim 8, wherein the unknown transport characteristics include[[s]] a latching edge of a clock signal used to sample the transport stream.
11. (Currently Amended) The method of claim 10, wherein the unknown transport characteristics include[[s]] a polarity of a active logic level of an error signal transmitted as part of the transport stream.
12. (Currently Amended) The method of claim 11, wherein the unknown transport characteristics include[[s]] a polarity of a transport packet start signal transmitted as part of the transport stream.
13. (Currently Amended) The method of claim 11, wherein the unknown transport characteristics include[[s]] a polarity of a transport packet valid signal transmitted as part of the transport stream.
14. (Previously Presented) The method of claim 1, wherein identifying the characteristic values includes the determining if a framer is locked to the transport stream.
15. (Original) The method of claim 14, wherein the framer is locked to the transport stream if a predefined number of packets with a predefined start code are received.
16. (Original) The method of claim 15, wherein the predefined number of packets are sequentially received.
17. (Currently Amended) The method of claim 15, wherein the predefined number of packets [[are]] is programmable.
18. (Original) The method of claim 17, wherein the predefined number of packets is stored in a register.
19. (Original) The method of claim 15, wherein the predefined start code is 47h.

20. (Previously Presented) A method for synchronizing to a transport stream, the method comprising
setting a first transport stream characteristic register to a first value;
setting a second transport stream characteristic register to a second value;
determining if a synchronization indicator is generated within a first amount of time;
repeating the step of determining for a number of times when the synchronization indicator is generated, wherein synchronization is successful if a synchronization indicator is generated for the number of times;
changing the first transport stream register to have a third value when the synchronization indicator is not generated within the first amount of time, and repeating the steps of determining and repeating; and
changing the second transport stream register to have a fourth value when the synchronization indicator is not generated within the first amount of time, and repeating the steps of determining and repeating.
21. (Previously Presented) A method comprising:
receiving a set of signals to provide a transport stream, the set of signals comprising unknown transport characteristics representable by a set of characteristic values;
identifying the characteristic values using a transport stream acquisition routine that iteratively selects a combination of characteristic values from a plurality of possible combinations of characteristic values to determine a combination of characteristic values for the unknown transport characteristics that enables synchronization to the transport stream; and
synchronizing to the transport stream based at least in part on the identified characteristic values.
22. (Previously Presented) The method of claim 21, wherein identifying the characteristic values includes identifying the characteristic values in less than 10 seconds.
23. (Previously Presented) The method of claim 22, wherein identifying the characteristic values includes identifying the characteristic values in less than approximately 2 seconds.

24. (Previously Presented) The method of claim 21, wherein identifying the characteristic values includes initializing the transport stream acquisition routine based upon a manually initiated request.
25. (Canceled)
26. (Canceled)
27. (Previously Presented) The method of claim 21, wherein identifying the characteristic values includes identifying a first combination of values for the set of transport characteristics and determining if synchronization to the transport stream has been acquired using the first combination of values.
28. (Currently Amended) The method of claim 21, wherein the unknown transport characteristics include[[s]] a bit ordering of a portion of data, wherein the transport stream includes a plurality of portions of data.
29. (Previously Presented) The method of claim 28, wherein a portion of data is 8 bits of data, and the bit ordering is one of the first bit of 8 bits of data being the most significant bit, or the last bit of the 8 bits of data being the most significant bit.
30. (Currently Amended) The method of claim 28, wherein the unknown transport characteristics include[[s]] a latching edge of a clock signal used to sample the transport stream.
31. (Currently Amended) The method of claim 30, wherein the unknown transport characteristics include[[s]] a polarity of an active logic level of an error signal transmitted as part of the transport stream.
32. (Currently Amended) The method of claim 31, wherein the unknown transport characteristics include[[s]] a polarity of a transport packet start signal transmitted as part of the transport stream.

33. (Currently Amended) The method of claim 31, wherein the unknown transport characteristics include[[s]] a polarity of a transport packet valid signal transmitted as part of the transport stream.
34. (Currently Amended) The method of claim 21, wherein identifying the characteristic values include[[s]] determining if a framer is locked to the transport stream.
35. (Previously Presented) The method of claim 34, wherein the framer is locked to the transport stream if a predefined number of packets with a predefined start code are received.
36. (Previously Presented) The method of claim 35, wherein the predefined number of packets are sequentially received.
37. (Currently Amended) The method of claim 35, wherein the predefined number of packets [[are]]is programmable.
38. (Previously Presented) The method of claim 37, wherein the predefined number of packets is stored in a register.
39. (Previously Presented) The method of claim 35, wherein the predefined start code is 47h.

40. (Previously Presented) A method of synchronizing to a transport stream, the method comprising
 setting a first register to a first value representing a first transport stream characteristic;
 setting a second register to a second value representing a second transport stream characteristic;
 determining if a transport stream synchronization indicator is generated within a first amount of time;
 repeating the step of determining for a number of times when the transport stream synchronization indicator is generated, wherein synchronization to the system is successful if a synchronization indicator is generated for the number of times;
 changing the first transport stream register to have a third value when the synchronization indicator is not generated within the first amount of time, and repeating the steps of determining and repeating; and
 changing the second transport stream register to have a fourth value when the synchronization indicator is not generated within the first amount of time, and repeating the steps of determining and repeating.
41. (Previously Presented) A method comprising:
 receiving a set of signals carrying a transport stream, the set of signals comprising a clock signal and a data signal, the clock signal and the data signal having unknown characteristics;
 assuming a set of characteristics to be the unknown characteristics;
 receiving a data stream from the set of signals based upon the assumed set of characteristics; and
 assuming as the set of characteristics a different set of characteristics and repeating the steps of receiving the data and determining until reception of a transport stream is verified based at least in part on the data stream.
42. (Previously Presented) The method of claim 1, wherein the set of characteristics are based on at least one of a data input, a clock input, a start indicator input, a valid indicator input, or an error indicator input.

43. (Previously Presented) The method of claim 20, wherein the first amount of time is a predetermined amount of time.
44. (Previously Presented) The method of claim 20, wherein the number of times is a predetermined number of times.
45. (Previously Presented) The method of claim 44, wherein the first amount of time is a predetermined amount of time.
46. (Previously Presented) The method of claim 40, wherein the first amount of time is a predetermined amount of time.
47. (Previously Presented) The method of claim 40, wherein the number of times is a predetermined number of times.
48. (Previously Presented) The method of claim 47, wherein the first amount of time is a predetermined amount of time.
49. (Previously Presented) The method of claim 21, wherein the unknown set of transport characteristics is based on at least one of a data input, a clock input, a start indicator input, a valid indicator input, and an error indicator input.


REMARKS

Claims 8, 10-13, 17, 28, 30-34, 37 and 49 have been amended to correct various informalities. These amendments do not change the scope of the claims. Entry thereof therefore is respectfully requested.

Should the Examiner deem that any further action by the Applicants would be desirable for placing this application in even better condition for issue, a call to the Applicants' representative listed below is requested. The Applicants do not believe that any additional fees are due, but if the Commissioner believes additional fees are due, the Commissioner is hereby authorized to charge any fees which may be required, or credit any overpayment, to Deposit Account Number 50-0441.

Respectfully submitted,

Date: 11 January 2005



Ryan S. Davidson, Reg. No. 51,596
On behalf of
J. Gustav Larson, Reg. No. 39,263
Attorney for Applicant(s)
TOLER, LARSON & ABEL, L.L.P.
P.O. Box 29567
Austin, Texas 78755-9567
(512) 327-5515 (phone)
(512) 327-5452 (fax)